

Company	Product name/model	List price	Standard/maximum number of processors	Intel processor board used (yes/no/N/A)	CPU speed (in MHz)	Standard/maximum RAM supported	Bus types and number of slots available	Included fault-tolerant features	Server management software included (yes/no/N/A)	Server management hardware included (yes/no/N/A)	OSes supported	OSes that have received the NOS certification	SNMP protocol used in the management application (yes/no/N/A)
Acer America Corp. (800) 555-ACER, (408) 432-6200 fax: (408) 922-2949 Reader Service No. 510	Acer Altos 19000	\$9,999-\$15,000	1/2	○	200	32 MB/1 GB	6 PCI, 3 EISA	Redun. power supply, array controller, ECC mem.	●	●	Win NT, CO/Unix, NetWare	Win NT, CO/Unix, NetWare	●
	Acer Altos 9000	\$4,500-\$8,800	1/2	○	166	32 MB/512 MB	4 PCI, 2 EISA, 1 shared PCI/EISA	Array controller, ECC mem.	●	●	Win NT, CO/Unix, NetWare	Win NT, CO/Unix, NetWare	●
	Acer Altos 9000 Pro	\$7,000-\$15,000	2/2	○	200	64 MB/512 MB	4 PCI, 2 EISA, 1 shared PCI/EISA	Array controller, ECC mem.	●	●	Win NT, CO/Unix, NetWare	Win NT, CO/Unix, NetWare	●
Advanced Logic Research (800) 444-4257, (714) 581-6770 fax: (714) 581-9240 Reader Service No. 511	Revolution 6x6	Starts at \$14,995	1/6	○	200/512	128 MB/2-4 GB	4 EISA, 7 PCI, 1 shared PCI/EISA	Redun. & hot-plug power supply, ECC mem., active CPR, CPU fail-over	●	●	Win NT, NetWare, OS/2 SMP, SCO/Unix, others	Win NT, NetWare, OS/2 SMP, SCO/Unix, others	○
	Revolution Quad6	Starts at \$9,995	1/4	○	200/512	64 MB/2 GB	7 EISA, 7 PCI, 1 shared PCI/EISA	ECC mem., active CPR, CPU fail-over	●	●	Win NT, NetWare, OS/2 SMP, SCO/Unix, others	Win NT, NetWare, OS/2 SMP, SCO/Unix, others	○
	Revolution MP Pro	\$3,995-\$4,995	1/2	○	200	32 MB/1 GB	1 EISA, 4 PCI, 3 shared PCI/EISA	ECC mem., redun. power supply	●	●	Win NT, NetWare, OS/2 SMP, SCO/Unix, UnixWare	Win NT, NetWare, SCO/Unix	○
AST Research (800) 876-4278, (714) 727-4141 fax: (714) 727-8567 Reader Service No. 512	Manhattan S Series	\$6,094-\$11,959	1/2	○	200	64 MB/1 GB	3 EISA, 6 PCI	Array controller, ECC mem.	●	●	Win NT, NetWare	Win NT, NetWare	●
Compaq Computer Corp. (800) 345-1518, (281) 370-0670 fax: (281) 518-1442 Reader Service No. 513	ProLiant 5000	\$11,932-\$26,903 (w/ 1-4 processors)	1/4	○	6/166 or 6/200	64 MB (6/166) or 128 MB (6/200)/4 GB	1 EISA, 5 PCI, 2 shared PCI/EISA	Redun. power supply, NICs & processor power module, array controller, ECC mem., hot-plug drives	●	●	Win NT, NetWare, OS/2 SMP, SCO/Unix, VINES, others	Win NT, NetWare, OS/2 SMP, SCO/Unix, VINES, others	●
	ProLiant 2500	\$4,555-\$8,721	1/2	○	6/180 or 6/200	32 MB/1 GB	2 PCI, 4 shared PCI/EISA	Redun. NICs, array controller, ECC mem., hot-plug drives, others	●	●	Win NT, NetWare, OS/2 SMP, SCO/Unix, VINES, others	Win NT, NetWare, OS/2 SMP, SCO/Unix, VINES, others	●
	ProLiant 800	\$2,778-\$3,445 (6/180); \$3,111-\$4,000 (6/200)	1/2	○	6/180 or 6/200	32 MB/512 MB	2 ISA, 4 PCI	ECC mem.	●	●	NetWare, SCO/Unix, VINES, UnixWare, Win NT, others	Win NT, NetWare, SCO/Unix, VINES, UnixWare,	●
CSS Laboratories (800) 852-2680, (714) 852-8161 fax: (714) 852-0410 Reader Service No. 514	MaxPRO 1500 ATB6D-Dual Pentium Pro Processors/Motherboard system	\$5,667-\$7,000	2/2	N/A	200	8 MB/1 GB	4 ISA, 5 PCI	Redun. & hot-plug power supply and fans, ECC mem.	○	○	Win NT, NetWare, OS/2 SMP, SCO/Unix, VINES	Win NT, NetWare, OS/2 SMP, SCO/Unix, VINES	N/A
	MaxPRO 1500 PB6D-Dual Pentium Pro Processor and Passive Backplane/CPU system	\$12,334-\$15,000	2/8	○	200	8 MB/1 GB	12 ISA, 8 PCI	Redun. & hot-plug power supply and fans, ECC mem.	○	○	Win NT, NetWare, OS/2 SMP, SCO/Unix, VINES	Win NT, NetWare, OS/2 SMP, SCO/Unix, VINES	N/A

●=Yes, ○=No

Company	Product name/model	List price	Standard/maximum number of processors	Intel processor board used (yes/no/N/A)	CPU speed (in MHz)	Standard/maximum RAM supported	Bus types and number of slots available	Included fault-tolerant features	Server management software included (yes/no/N/A)	Server management hardware included (yes/no/N/A)	NOSES supported	NOSES that have received the NOS certification	SNMP protocol used in the management application (yes/no/N/A)
Data General Corp. (800) DATA-GEN, (508) 898-5000 Reader Service No. 515	AViiON AV2600	Starts at \$6,850	1/2	●	200	32 MB/1 GB	2 ISA; 5 PCI; 1 PCI/ISA; ultra-wide SCSI; 10/100 Ethernet; SUGA graphics	Redun. fans, ECC mem., 10 hot-swap bays	●	●	Win NT, NetWare, SCO/Unix, UnixWare, DG/UX	Win NT, NetWare, SCO/Unix, UnixWare, DG/UX	●
	AViiON AV3600	Starts at \$11,197	1/4	○	200	64 MB/4 GB	7 EISA; 7 PCI; 1 PCI/ISA; 10/100 Ethernet	Redun. fans, ECC mem., redun. power supply, array controller	●	●	Win NT, NetWare, SCO/Unix, UnixWare	Win NT, NetWare, SCO/Unix, UnixWare, DG/UX	●
	AViiON AV3600	Starts at \$24,497	1/4	●	200	128 MB/4 GB	6 PCI; 10/100 Ethernet; differential SCSI	Redun. fans, ECC mem., redun. power supply, hot-plug power supply, hot-plug fans	●	●	Win NT, UnixWare, DG/UX	Win NT, UnixWare, DG/UX	●
Dell Computer Corp. (800) BUY-DELL, (512) 338-4400 fax: (512) 728-3653 Reader Service No. 516	PowerEdge 4100	\$7,000-\$12,000	2/2	○	180 or 200	64 MB/1GB	3 EISA, 5 PCI	Redun. & hot-plug power supply and fans, array controller, ECC mem., hot-plug backplane	●	●	Win NT, NetWare	Win NT, NetWare	●
	PowerEdge 6100	\$9,999-\$22,999	4/4	●	200	64 MB/4 GB	4 EISA, 6 PCI	Redun. & hot-plug power supply and fans, array controller, ECC mem., hot-plug SCSI backplane	●	●	Win NT, NetWare	Win NT, NetWare	●
Digital Equipment Corp. (800) DIGITAL, (508) 493-5111 fax: (508) 493-7374 Reader Service No. 517	Digital Priors ZX 6000 Series	\$10,000-\$20,000	1 or 2/4	○	200 or 166 Pentium Pro w/ 512 KB of L2 cache	64 MB or 128 MB/2 GB	4 EISA, 7 PCI, 1 shared	Redun. power supply & fans, ECC mem., intelligent & remote server man., hot-swap drives, digital clusters for Win NT	●	●	Win NT, NetWare, OS/2 SMP, SCO/Unix, others	Win NT, NetWare, OS/2 SMP, SCO/Unix, others	●
	Digital Priors HX 6000 Series	\$6,000-\$10,000	1/2 or 2	○	200 w/ 512 KB or 256 KB of L2 cache/processor	32 MB or 64 MB/1 GB	5 EISA, 6 PCI	Redun. power supply & fans, ECC mem., intelligent & remote server man., hot-swap drives, others	●	●	Win NT, NetWare, OS/2 SMP, SCO/Unix, others	Win NT, NetWare, OS/2 SMP, SCO/Unix, others	●
	Digital Priors MX 6200	\$3,000-\$5,000	1/2 or 2	○	200 w/ 512 KB of L2 cache	32 MB or 64 MB/1 GB	4 EISA, 2 PCI, 1 shared	Intelligent & remote server management, hot-swap drives, digital clusters for Win NT, array controller	●	●	Win NT, NetWare, OS/2 SMP, SCO/Unix, others	Win NT, NetWare, OS/2 SMP, SCO/Unix, others	●
Eversys Corp. (415) 897-8888 fax: (415) 897-6158 Reader Service No. 518	System 8000	\$6,000	1/2 per module	○	200	32 MB/512 MB	3 ISA, 4 PCI	Redun. & hot-plug power supply and fans, ECC mem.	●	●	Win NT, NetWare, OS/2 SMP, SCO, VINES, UnixWare, Solaris, others	Win NT, NetWare	●
Hewlett-Packard Co. (800) 752-0900 Reader Service No. 519	HP NetServer LH Pro	\$6,379-\$10,350	1 or 2/2	○	200	32 MB/64 MB/1 GB	4 EISA, 4 PCI, 1 shared PCI/EISA	Redun. power supply, array controller, ECC mem., 2 integrated ultra-SCSI controllers for built-in duplexing	●	N/A	N/A	Win NT, NetWare, OS/2 SMP, SCO/Unix, VINES	○
	HP NetServer LXe Pro	\$10,000-\$12,000	1/4	●	166 or 200	64 MB/2 GB	4 EISA, 6 PCI	Redun. & hot-plug power supply and fans, ECC mem., hot-plug adapters	●	●	N/A	Win NT, NetWare, OS/2 SMP, SCO/Unix	○
	HP NetServer LX Pro	\$12,000-\$28,000	1/4	●	200	64-512 MB/2 GB	4 EISA, 6 PCI	Redun. & hot-plug power supply and fans, ECC mem., hot-plug adapters	●	●	N/A	NetWare, OS/2 SMP, SCO/Unix	○

●=Yes, ○=No

Company	Product name/model	List price	Standard/maximum number of processors	Intel processor board used (yes/no/N/A)	CPU speed (in MHz)	Standard/maximum RAM supported	Bus types and number of slots available	Included fault-tolerant features	Server management software included (yes/no/N/A)	Server management hardware included (yes/no/N/A)	NOSES supported	NOSES that have received the NOS certification	SNMP protocol used in the management application (yes/no/N/A)
IBM Corp. (800) 772-2227, (800) 426-2968 Reader Service No. 520	IBM PC Server 330	Starts at \$5,290	1/2	○	200	32 MB/1 GB	4 EISA, 1 PCI & 4 shared PCI/EISA	Array controller, ECC mem., hot-swap disks	●	○	Win NT, NetWare, OS/2 SMP, UnixWare, others	Win NT, NetWare, OS/2 SMP, UnixWare, others	●
	IBM PC Server 325	Starts at \$4,025	1/2	○	200	32 MB/1 GB	1 EISA, 1 PCI & 4 combination PCI/EISA	Array controller	●	○	Win NT, NetWare, OS/2 SMP, UnixWare, others	Win NT, NetWare, OS/2 SMP, UnixWare, others	●
	IBM PC Server 704	Starts at \$13,418	1/4	N/A	200	128 MB/2 GB	4 EISA, 6 PCI	Redun. fans, dual SCSI controllers, dual PCI bus, hot-swap disks	●	●	Win NT, NetWare, OS/2 SMP, UnixWare, others	Win NT, NetWare, OS/2 SMP, UnixWare, others	●
Intergraph Computer Systems (800) 763-0242 fax: (205) 730-6188 Reader Service No. 521	InterServe 615 through 645	\$12,000-\$35,000	1, 2 or 4/4	○	200	64, 128 or 256 MB/1 GB	4 ISA, 9 PCI	Redun. & hot-plug power supply, array controller, ECC mem.	●	●	Win NT, NetWare, Solaris x86	Win NT, NetWare	●
	InterServe 650/660	\$37,000-\$55,000	2 or 4/4	○	200	128 or 256 MB/4 GB	4 ISA, 14 PCI	Redun. & hot-plug power supply and fans, array controller, ECC mem.	●	●	Win NT, Solaris x86	Win NT, Solaris x86	●
Micron Electronics (888) 634-8799, (208) 893-3434 fax: (208) 893-3424 Reader Service No. 522	Vetrix 2LXI	\$6,700-\$8,600	2/2	●	200	128 MB/1 GB	2 ISA, 5 PCI, 1 shared PCI/ISA	ECC mem.	●	●	Win NT, NetWare	Win NT, NetWare, SCO/Unix, UnixWare	●
NCR Corp. Reader Service No. 523	NCR WorldMark 4300	\$17,000-\$100,000	4/8	●	200	64 MB/4 GB	4 EISA, 6-14 PCI	Redun. & hot-plug power supply & fans, ECC mem., hot-plug disk drives, internal UPS & full power fail recovery	●	●	Win NT, NCR Unix MP-RAS	Win NT, NCR Unix MP-RAS	●
	NCR WorldMark 5100S	Starts at \$135,000	4-8/32	○	166 or 200	256 MB/4 GB	16 MCA	Redun. & hot-plug power supply and fans, ECC mem., hot-plug disks & adapters, internal UPS & full power fail recovery, array controller, redun. NICs	●	●	NCR Unix MP-RAS	NCR Unix MP-RAS	●
NEC Computer Systems Division (800) NEC-INFO, (415) 528-6000 fax: (415) 528-5650 Reader Service No. 524	NEC ProServa VPLUS	\$1,984-\$2,961	1/2	N/A	120-200	32 MB/256 MB	5 EISA, 2 PCI, 1 shared EISA/PCI	ECC mem.	●	○	Win NT, NetWare	Win NT, NetWare	●
	ProServa HX	\$15,000-\$16,330	1/4	●	200 (w/512 KB cache)	128 MB/2 GB	4 EISA, 6 PCI	ECC mem., redun. & hot-plug power supply, redun. fans & NICs, array controller, hot-plug disks	●	●	Win NT, NetWare	Win NT, NetWare	●
	NEC ProServa SH	\$11,845-\$14,244	1/4	○	200	64 MB/1 GB	4 EISA, 6 PCI	ECC mem., redun. power supply, fans & NICs, array controller	●	○	Win NT, NetWare	Win NT, NetWare	●
NetFRAME Systems (800) SERVERS, (408) 474-1000 fax: (408) 474-4190 Reader Service No. 525	NetFRAME ClusterSystem 9000 (NF9000)	Starts at \$25,000	1/4	○	200	64 MB/4 GB	16 PCI	Redun. & hot-plug power supply and fans, redun. NICs, hot-plug adapters, array controller, ECC mem.	●	●	Win NT, NetWare	Win NT, NetWare	●

●=Yes, ○=No

Company	Product name/model	List price	Standard/maximum number of processors	Intel processor board used (yes/no/N/A)	CPU speed (in MHz)	Standard/maximum RAM supported	Bus types and number of slots available	Included fault-tolerant features	Server management software included (yes/no/N/A)	Server management hardware included (yes/no/N/A)	NOSes supported	NOSes that have received the NOS certification	SNMP protocol used in the management application (yes/no/N/A)
The Panda Project (800) 566-6987, (561) 994-2300 fax: (561) 994-0191 Reader Service No. 526	Archistrat 5s Server	\$9,300-\$12,500	1/2	○	200	64 MB/2 GB	4 ISA, 6 PCI	Redun. & hot-plug power supply, redun. fans, hot-plug adapters, array controller, ECC mem.	○	○	Win NT, NetWare, SCO/Unix, UnixWare	UnixWare	●
	Archistrat 5r Rackmount	\$9,300-\$12,500	1/2	○	200	64 MB/2 GB	4 ISA, 6 PCI	Redun. & hot-plug power supply, redun. fans, hot-plug adapters, array controller, ECC mem.	○	○	Win NT, NetWare, SCO/Unix, UnixWare	UnixWare	●
S.A.G. Electronics (800) 989-3475 fax: (508) 689-0180 Reader Service No. 527	STF Quad Pro	\$11,000-\$15,000	2/4	○	200	256 MB/1 GB	4 EISA, 6 PCI	Redun. & hot-plug power supply and fans, array controller, ECC mem.	●	●	Win NT, SCO/Unix	N/A	●
Siemens Pyramid Information Systems (800) 289-7973, (408) 428-9000 fax: (408) 428-8050 Reader Service No. 528	Primergy 151, 160, 351, 551, 560, 751, 752, 760	\$20,000-\$75,000	2/4	N/A	200	128 MB/1 GB	3 EISA, 5 PCI, 1 PCI/EISA	Redun. & hot-plug power supply, hot-plug fans & disks, redun. NICs, array controller, ECC mem.	●	●	Win NT, NetWare, OS/2 SMP, SCO/Unix, VINES, others	Win NT, NetWare, OS/2 SMP, SCO/Unix, VINES, others	●
Silicon Graphics (800) 800-7441, (415) 933-3900 fax: (415) 960-0197 Reader Service No. 529	Origin200/Origin2000 SMP Servers	\$11,935-\$10 million	1/128	○	190 (w/ 4 MB secondary cache)	64 MB/256,000 MB	3 PCI, 12 XIO	Redun. fans & NICs, ECC mem., auto reboot	○	○	IRIX (UP/X open Unix compliant)	IRIX (UP/X open Unix compliant)	●
Stratus Computer (800) 787-2887, (508) 460-2000 fax: (508) 481-8945 Reader Service No. 530	RADIO Cluster	\$66,000-\$70,000	2/clusterable btw. 2-8 CPUs	●	188-200	64 MB/512 MB per server in cluster	1 EISA/server	Redun. & hot-plug power supply & fans, redun. NICs, hot-plug adapters, array controller, ECC mem. (P6 only)	●	●	Win NT	Win NT	●
Tandem Computers (800) 666-7867, (408) 285-6000 fax: (408) 285-7187 Reader Service No. 531	S1000	\$15,000	1/4	●	200	64 MB/1 GB	EISA, PCI	Redun. power supply, ECC mem.	○	○	Win NT, NetWare	Win NT	●
	S100 FT	\$20,000	1/2	●	200	32 MB/1 GB	ISA, PCI	Redun. power supply, fans & NICs, ECC mem.	●	○	Win NT	Win NT	●
Tangent Computer (800) 800-5550, (415) 342-9388 fax: (415) 342-9380 Reader Service No. 532	QuadStar P54; Hurricane P6	\$8,000-\$25,000; \$4,000-\$10,000	2/4	●	75-200	128 MB/1 GB	3 ISA, 5 PCI	Redun. & hot-plug power supply, redun. fans & NICs, array controller, ECC mem., hot-swap hard drives	○	○	Win NT, NetWare	Win NT, NetWare, OS/2 SMP	●
Tricord Systems (800) TRICORD, (612) 557-9005 fax: (612) 557-8403 Reader Service No. 533	PowerFrame Enterprise Server	\$55,900	2/8	○	200	256 MB/3 GB	8 EISA, 8 PCI	Redun. & hot-plug power supply & fans, redun. NICs, array controller, ECC mem., hot disk spare/replacement	●	●	Win NT, NetWare, Citrix, Solaris	Win NT, NetWare	●
	PowerFrame Enterprise Access Server	\$149,900-\$189,000	8/8	○	200	1 GB/3GB	8 EISA, 8 PCI	Redun. & hot-plug power supply & fans, redun. NICs, array controller, ECC mem., hot disk spare/replacement	●	●	Win NT, Citrix WinFrame/Enterprise,	Win NT	●
Unisys Corp. (800) 874-8647 Reader Service No. 534	SMP 61000	\$55,000-\$250,000	2/10	○	200	256 MB/4 GB	3 EISA, 10 PCI	Redun. & hot-plug power supply and fans, array controller, ECC mem., hot-plug disks	○	○	Win NT, UnixWare, Unisys SVR4	UnixWare, Unisys SVR4	●

●=Yes, ○=No Charts coordinated by Mona R. Litt (*mlitt@nwc.com*). Chart data provided by vendors.